

CLAIMS

What is claimed is:

1. A method for determining the *Phytophthora sojae* resistance associated with the trait locus *Rps8* in soybean, comprising:
 - 5 analyzing genomic DNA from a soybean germplasm for the presence of at least one molecular marker, wherein the at least one molecular marker is associated with the trait locus *Rps8*, and wherein the trait locus *Rps8* maps to soybean major linkage group F and is associated with soybean *Phytophthora sojae* resistance.
 2. The method of claim 1 wherein the at least one molecular marker is selected from the
 - 10 group consisting Satt595, Satt114, Satt334, Sat_317, Sat_197, Satt510, Satt335 and Satt144.
 3. The method of claim 2 wherein the at least one molecular marker is markers Satt516 and Satt114.
 4. A method for introgressing soybean *Phytophthora sojae* resistance into non-resistant soybean germplasm or less resistant soybean germplasm comprising:
 - 15 providing a first soybean germplasm which has *Rps8*-derived resistance to *Phytophthora sojae* and which has been selected by marker assisted selection using one or more nucleic acid markers, wherein the soybean *Phytophthora sojae* resistance is associated with the *Rps8* gene that maps to soybean major linkage group F and wherein the molecular markers are associated with the *Rps8* gene;
 - 20 providing a second soybean germplasm which lacks *Rps8*-derived resistance to *Phytophthora sojae*;
 - crossing the first soybean germplasm with the second soybean germplasm to introgress the *Rps8* gene into the genome of the second soybean germplasm to provide a hybrid introgressed germplasm having *Rps8*-derived resistance to *Phytophthora sojae*.
 - 25 5. The method of claim 4 wherein the first soybean germplasm is HFX01-602, or a descendant thereof.
 6. The method of claim 4 wherein the first soybean germplasm is OX-99128, or a descendant thereof.

7. The method of claim 4 wherein the first soybean germplasm is OX-98317, or a descendant thereof.

8. The method of claim 4 wherein the first soybean germplasm is selected by a marker assisted selection technique selected from the group consisting of SSR analysis, RFLP analysis, RAPD analysis, and isozyme analysis.

9. The method of claim 4 wherein the nucleic acid markers are selected from the group consisting of. Satt595, Satt114, Satt334, Sat_317, Sat_197, Satt510, Satt335 and Satt144

10. A method for the production of a soybean cultivar adapted for conferring, in hybrid combination with a suitable second inbred, resistance to *Phytophthora sojae* comprising:

selecting a first donor parental line possessing the desired *Phytophthora sojae* resistance said first donor parental line comprising a *Phytophthora sojae* resistance gene *Rps8* which is located on major linkage group F; crossing the first donor parental line with a second parental line, which is high yielding in hybrid combination, to produce a segregating plant population of genetically heterogeneous plants;

screening the plants of the segregating plant population for the gene *Rps8* by marker assisted selection using at least one associated markers;

selecting plants from the population having the gene *Rps8*; and

breeding by self crossing the plants containing the *Rps8* gene until a line is obtained which is homozygous for resistance to *Phytophthora sojae* at *Rps8* to give resistance to *Phytophthora sojae*.

11. The method of claim 10 wherein the at least one associated marker is selected from the group consisting of. Satt595, Satt114, Satt334, Sat_317, Sat_197, Satt510, Satt335 and Satt144

12. The method of claim 10 wherein the molecular markers are Satt595, Satt114, Satt334, Sat_317, Sat_197, Satt510, Satt335 and Satt144.

13. The method of claim 10 wherein the first donor parental line is HFX01-602, or a descendant thereof.

14. The method of claim 10 wherein the first donor parental line is OX-99128, or a descendant thereof.

15. The method of claim 10 wherein the first donor parental line is OX-98317, or a descendant thereof.

16. The method of claim 10 wherein the plants of the segregating plant population are screened by a marker assisted selection technique selected the marker assisted selection comprises analyzing by a technique selected from the group consisting of, SSR analysis,

17. A method for reliably and predictably introgressing soybean *Rps8*-derived resistance to *Phytophthora sojae* into susceptible soybean germplasm comprising analyzing soybean germplasm lines by marker assisted selection to identify those soybean germplasm lines having the *Rps8* gene; and introgressing said *Rps8* gene into said non-resistant soybean germplasm.

18. The method of claim 18 wherein markers for use in marker assisted selection are selected from the group consisting of, Satt595, Satt114, Satt334, Sat_317, Sat_197, Satt510, Satt335 and Satt144.

19. The method of claim 18 wherein the marker assisted selection comprises the use of SSR analysis.

20. A soybean plant produced according to the method of any one of claims 1-22.

21. A soybean plant having resistance to *Phytophthora sojae* comprising:

a soybean germplasm comprising an *Rps8* gene

wherein the germplasm was produced by introgression of a soybean germplasm containing *Rps8* in its genome with a soybean germplasm lacking the *Rps8* gene in its genome.

22. Seed of soybean germplasm designated HFX01-602, deposited as ATCC accession number PTA-5190, and progeny therefrom

23. Seed of soybean germplasm designated OX-98317, deposited as ATCC accession number _____, and progeny therefrom..

24. Seed of soybean germplasm designated OX-99218, deposited as ATCC accession number _____, and progeny therefrom.